

STANDARD CITY OF WARRENVILLE EROSION CONTROL NOTES

1. Sediment and erosion control devices shall be installed and functional before the site is otherwise disturbed. All runoff from disturbed areas shall be filtered by silt fence. In addition to silt fence, disturbed areas draining more than one acre but fewer than five acres shall incorporate a temporary sediment trap at the outfall and disturbed areas draining more than five acres shall incorporate a temporary sediment basin at the outfall.
2. If a stockpile is to remain in place for more than three days, it shall be surrounded by silt fence. If a stockpile is to remain in place for more than 7 days, it shall be protected with temporary seeding.
3. All flared end sections shall be protected by sediment traps and/or perforated riser pipes until ground cover has been established. Filter fabric or filter baskets shall be installed under all inlet and catch basin grates and shall be maintained until ground cover has been established.
4. Water pumped from the site shall be filtered through the use of a silt bag on the end of the discharge hose.
5. A specific area shall be designated as a concrete wash location and shall be surrounded by silt fence.
6. All soil, mud and construction debris washed, tracked or otherwise deposited on street pavement shall be removed immediately and a wash-down facility shall be provided for all construction vehicles leaving the site.
7. Vehicular access to the site shall be restricted to a temporary gravel construction entrance. The temporary construction entrance shall be installed before the start of construction and shall remain in place until the permanent driveway is installed.
8. Seed with mulch or erosion blanket, or sod, shall be placed on all disturbed areas within 7 days of top soil placement and final grading. Silt fence shall remain in place until a healthy stand of grass has been established.

